



# TORQUE CONVERTERS

AVAILABLE TO DEALERS AND DISTRIBUTORS  
FACTORY DIRECT AT **FACTORY DIRECT** PRICES...



1010 EAST 62nd STREET  
LOS ANGELES, CALIFORNIA 90001

BULK RATE  
U.S. POSTAGE  
**PAID**  
Permit No. 31096  
Los Angeles, Calif.

- ★ COMPLETE ENGINE/CLUTCH SELECTION CHART INCLUDED.
- ★ RETURN POSTAGE MAIL ORDER CARD ATTACHED FOR EASY ORDERING.
- ★ ALL ORDERS TO BE SHIPPED WITHIN 3 DAYS AFTER RECEIPT OF ORDER.
- ★ ALL ORDERS ARE F.O.B. LOS ANGELES AND WILL BE SHIPPED C.O.D.



A DIVISION OF INSTRUMENT SYSTEMS CORPORATION

1010 EAST 62nd STREET, LOS ANGELES, CALIFORNIA 90001 • PHONE (213) 232-6181

PRINTED IN U.S.A.



MODEL 330

MANUFACTURERS SUGGESTED LIST PRICE . . . . . **\$39.75**

IF YOU ORDER	YOUR COST IS
1-9 UNITS	\$16.00
10-49 UNITS	\$15.00
50 OR MORE	\$14.00



MODEL 780S

MANUFACTURERS SUGGESTED LIST PRICE . . . . . **\$75.45**

IF YOU ORDER	YOUR COST IS
1-9 UNITS	\$32.00
10-49 UNITS	\$31.00
50 OR MORE	\$30.00



MODEL 910

MANUFACTURERS SUGGESTED LIST PRICE . . . . . **\$78.85**

IF YOU ORDER	YOUR COST IS
1-9 UNITS	\$33.00
10-49 UNITS	\$32.00
50 OR MORE	\$31.00



MODEL 500

MANUFACTURERS SUGGESTED LIST PRICE . . . . . **\$69.95**

IF YOU ORDER	YOUR COST IS
1-9 UNITS	\$30.00
10-49 UNITS	\$29.00
50 OR MORE	\$28.00



MODEL 800

MANUFACTURERS SUGGESTED LIST PRICE . . . . . **\$88.40**

IF YOU ORDER	YOUR COST IS
1-9 UNITS	\$39.00
10-49 UNITS	\$38.00
50 OR MORE	\$37.00



MODEL 1190

MANUFACTURERS SUGGESTED LIST PRICE . . . . . **\$115.00**

IF YOU ORDER	YOUR COST IS
1-9 UNITS	\$49.00
10-49 UNITS	\$48.00
50 OR MORE	\$47.00



MODEL 780A

MANUFACTURERS SUGGESTED LIST PRICE . . . . . **\$69.95**

IF YOU ORDER	YOUR COST IS
1-9 UNITS	\$30.00
10-49 UNITS	\$29.00
50 OR MORE	\$28.00



MODEL 810

MANUFACTURERS SUGGESTED LIST PRICE . . . . . **\$87.40**

IF YOU ORDER	YOUR COST IS
1-9 UNITS	\$38.00
10-49 UNITS	\$37.00
50 OR MORE	\$36.00

FIRST CLASS PERMIT No. 34737 LOS ANGELES, CALIF.

BUSINESS REPLY MAIL  
No Postage Necessary if Mailed in The United States.  
Postage will be paid by

**SALSBURY IND.**  
1010 E. 62nd street  
Los Angeles, Ca. 90001



## FOUR CYCLE ENGINES

ENGINE/CLUTCH SELECTION BY PART NUMBER

H. P. @ 3600 RPM	C'SHAFT DIA.	MODEL 330 ENGT. SPD.	MODEL 500 ENGT. SPD.	MODEL 780S ENGT. SPD.	MODEL 1195 ENGT. SPD.
3.5 to 4	.625	142502 2000 RPM			
3.5 to 4	.750	142500 2000 RPM			
5 to 6	.750	142505 1800 RPM	146610 1800 RPM		
7	.750		146608 1650 RPM		
7 to 9	1.000		146600 1650 RPM	151900 1650 RPM	
10 to 16	1.000		146634 1900 RPM	151902 1650 RPM	
12 to 16	1.125				142801 1200 RPM
16.5 to 25	1.250				142802 1200 RPM

BELT TOP WIDTH	.628	.920	1.188	1.438
----------------	------	------	-------	-------

ENGAGEMENT SPEEDS SHOWN ARE SUBJECT TO SLIGHT VARIANCE. DRIVEN PULLEY AND BELT REQUIREMENTS CAN BE DETERMINED IF VEHICLE DESCRIPTION, COUNTERSHAFT DIAMETER AND CENTERDISTANCE (CRANKSHAFT TO COUNTERSHAFT) ARE FURNISHED.

Cut along dotted line

ORDER FORM		PARTS TO BE SHIPPED TO (please complete form)				PART NO.	QTY	PRICE (EA.)
FIRM NAME _____								
ADDRESS _____								
CITY _____ STATE _____ ZIP _____								
PLACED BY _____ ORDER DATE _____ SHIP VIA _____								
PART NO.	QTY.	PRICE (EA.)	PART NO.	QTY	PRICE (EA.)			

## TWO CYCLE ENGINES

ENGINE/CLUTCH SELECTION BY PART NUMBER

### SKI-DOO

ENGINE	BORE	MODEL 780A
250/1, 292/2	ROTAX 3/4 in.	690377 KIT
250/2	ROTAX 3/4 in.	690378 KIT
340/2, 399/2	ROTAX 3/4 in.	690379 KIT

### 30 MM FLUSH

ENGINE SIZE H. P. RANGE	MODEL 500 ENGT. SPD.	MODEL 780A ENGT. SPD.	MODEL 800 ENGT. SPD.	MODEL 810 ENGT. SPD.	MODEL 910 ENGT. SPD.
295cc 20-27 H. P.	146628 4000 RPM	149112 3500 RPM		151211 4000 RPM	
295cc 28-34 H. P.	146628 4000 RPM	149107 4200 RPM		151211 4000 RPM	
340cc 28-34 H. P.		149106 3800 RPM	151000 4000 RPM	151209 3800 RPM	146501 3400 RPM
340cc 35-42 H. P.		149106 3800 RPM	151003 4100 RPM	151202 4200 RPM	146501 3400 RPM
400cc 35-40 H. P.		149106 3800 RPM	151000 4000 RPM	151202 4200 RPM	146501 3400 RPM
400cc 40-47 H. P.			151003 4100 RPM	151203 4000 RPM	146501 3400 RPM
440cc 38-45 H. P.			151000 4000 RPM	151203 4000 RPM	146502 3200 RPM
440cc 45-55 H. P.			151003 4100 RPM	151203 4000 RPM	146502 3200 RPM
650cc 45-55 H. P.			151001 3000 RPM		
650cc 55-65 H. P.			151004 3200 RPM		

BELT TOP WIDTH

BELT T. W.	.920	1.188	1.250	1.250	1.250
------------	------	-------	-------	-------	-------

ENGAGEMENT SPEEDS SHOWN ARE SUBJECT TO SLIGHT VARIANCE. DRIVEN PULLEY AND BELT REQUIREMENTS CAN BE DETERMINED IF VEHICLE DESCRIPTION, COUNTERSHAFT DIAMETER AND CENTERDISTANCE (CRANKSHAFT TO COUNTERSHAFT) ARE FURNISHED.